



Step 1. Open MetaMask (Extension / Mobile Version)

Open your web browser and click the MetaMask extension at the top right.




Step 2. Go to settings

Once in the MetaMask app, click on the logo of your account at the top right. Then click on 'Settings'.



Step 3. Go to networks

Then click on 'Networks' in the settings menu. A list of networks that your MetaMask wallet is connected to will now appear. Now click on the 'Add Networks' button in the bottom of the window.



Step 4. Add the network details

In this window, you will enter the details of the network to be added. MetaMask asks you to enter: Network Name, New RPC URL, ChainID, Symbol and Block Explorer URL. To add the Binance Smart Chain network, enter the following information:

- Network Name: Smart Chain (Or hose your own name)
- New RPC URL: <https://bsc-dataseed.binance.org/>
- Chain ID: 56
- Symbol: BNB
- Block Explorer URL: Binance (BNB) Blockchain Explorer

Header area containing a fox icon on the left, a dropdown menu with "Ethereum Mainnet" and a downward arrow in the center, and a circular icon with four colored segments on the right.

< Networks



A malicious network provider can lie about the state of the blockchain and record your network activity. Only add custom networks you trust.

Network Name

New RPC URL

Chain ID ⓘ

Currency Symbol (optional)

Block Explorer URL (optional)

Please note that all transactions on the Binance Smart Chain are paid with Binance Coin (BNB).

Step 5. Connect your MetaMask to the BSC network

Click on the name of network you have added (Smart Chain)

